

MOBILE MANIPULATOR ROBOT (MMR)

# RB-SUMMIT

MOBILE MANIPULATOR

FOR RESEARCH & DEVELOPMENT

- A RESEARCH & DEVELOPMENT
- AGRICULTURE
- CONSTRUCTION
- PICK & PLACE



# **RB-SUMMIT**

#### MOBILE MANIPULATOR RESISTANT AND VERSATILE

**RB-SUMMIT+** is a highly mobile, all-terrain modular base that can operate in indoor environments, but especially outdoors. Therefore, this MMR is suitable for automating tasks of different nature in sectors such as R&D, agriculture or construction.

#### **INCLUDED COMPONENTS**

- CPU Intel i7
- 2D Laser
- RGBD Camera
- 5G Router
- IMU
- Battery UN38.3 48VDC@15Ah
- Robotic arm: Kinova Gen3 Lite
  - » Payload: 0,5 kg» Reach: 760 mm
- Charging station

#### **OPTIONAL COMPONENTS**

- GPS
- Base station
- Al+Vision Package
- · 3D Localization and Navigation Package
- Robotic arm: Kinova Gen3 6 DOF
  - » Payload: 4 kg
  - » Reach: 891 mm
- Robotic arm: Kinova Gen3 -7 DOF
  - » Payload: 4 kg
  - » Reach: 902 mm

## MECHANICAL

Dimensions **720 x 614 x 767 mm** 

Weight Platform: 65 kg Arm: 5,4 / 8,2 kg

Payload Platform: 42 kg Arm: 0,5 / 4 kg

Speed 3 m/s

Environment Indoor / Outdoor

Enclosure class IP40

Autonomy Up to 5 h

Traction motors 4 x 500 W with brake

Kinematics Skid steering

Localization system **SLAM** 

Temperature range 0°C to + 50°C

Max. slope 80 %

#### CONTROL

Controller ROS 2 Architecture

Communication WiFi 802.11 b/g/n/ac

Bluetooth 4.0

Connectivity USB x1

Ethernet x1
Power Outputs:

- » 5V
- » 12V
- » VBATT

## BLUEPRINTS

